





American Safety





Cow Split AB Grade Leather Full Palm Glove:
 Brand : American Safety
 Rigger Style Palm Lined
 Stripped Cotton Back & Cuff
 Rubberized Cuff.
 Size : 10.5"
 CE Approved Comply with
 EN 407 & EN 388
 Made in Pakistan
 Art No. : 1348



Cow Split Leather Palm Glove:
 Brand : American Safety
 Rigger Style Palm Lined Nature
 Cotton Back & Canvas Pasted Cuff
 Size : 10.5"
 Made in Pakistan
 Art No. : P 999



Canvas Rubberized Cuff
 Brand : American Safety
 Double Palm Glove
 Rigger Style Palm Lined Nature
 Size : 10.5"
 Made in Pakistan
 Art No. : LJB 2700 - 500



Green Guntli :
Cow Split Leather Royal Green
 Brand : American Safety
 Double Palm Glove
 Rigger Style Palm Lined, Cotton Drill
 Black & Rubberized Cuff
 Size : 10.5"
 Made in Pakistan
 Art No. : LJB : 2700 - 400



Green Guntli :
 Brand : American Safety
 Full Palm Glove & Back Cotton
 Rigger Style Palm Lined,
 & Rubberized Cuff
 Size : 10.5"
 Made in Pakistan
 Art No. : 1670



Cow Split AB Grade Leather
 Brand : American Safety
 Full Palm Glove :
 Rigger Style Palm Lined,
 Black & Rubberized Cuff,
 Size : 10.5" & 14"
 Made in Pakistan
 Art No. : 1669



Cow Split Leather Glove :
 Brand : American Safety
 Back Cotton Strip
 Rubberized Cuff, Full Lining 3" Cuff
 Size : 10.25"
 Made in Pakistan
 Art No. : 1005



Yellow Fabric Glove :
 Brand : Power Tool
 Yellow Dyed Gloves
 Color : Red Cuff Yellow Dyed
 Size : 10.25"
 Made in Pakistan
 Art No. : 805

Power Tool



Yellow Patched Palm:

Brand : Power Tool
Cow Split Leather Patched
Palm in A/B Grade.
Fabric : Cotton Drill
Made in Pakistan
Art No. : 2440-1400



Cow Split Leather Yellow:
Brand : Power Tool
Rigger Style Full Palm Leather
Yellow & Rubberized Cuff
Size : 10.5"
Made in Pakistan
Art No. : STN 2900 - 1300



Red Cuff Single Palm Glove

Brand : Power Tool
Rigger Style Palm Lined, Stripped
Cotton Back & Cuff, Rubberized Cuff.
Size : 10.5"
CE Approved Comply with
EN 407 & EN 388
Made in Pakistan
Art No. : 1200 - 1200



Flower Glove:

Brand : Power Tool
Palm Sheep Leather 2.5"
Cuff Split Leather
Size : 10.5"
Made in Pakistan
Art No. : S 2511



Flower Glove:

Brand : Power Tool
Palm Cow Split Leather 2.5"
Cuff Split Leather
Size : 10.5"
Made in Pakistan
Art No. : C 2510



Denam Jeen Glove:

Brand : Power Tool
Cow Split Leather Patch Palm
3" Cuff Back Cotton Demean Cloth
Size : 10.25"
Made in Pakistan
Art No. : 9999



Cow Split Leather Golden Yellow Double Palm Glove:

Brand : Power Tool
Rigger Style Palm Lines, Cotton Drill
Yellow & Rubberized Cuff
Size : 10.5", Made in Pakistan
Art No. : STN 2400 - 1300



Furniture Glove:

Brand : Power Tool
Black Cow Grain Leather
with 3" Rubberized Cuff,
Size : 10.5"
Made in Pakistan
Art No. : C 5000

WELDER / COW SPLIT LEATHER GLOVES



Cow Split Leather Welding Gloves
Back Full Pcs. of Leather A Grade
Full Inner Fleece Lining
Full Black Leather Piping Covering to Seam
Inside of Cuff Cotton Lining
Size : 16" = 40cm
CE Approved Comply with EN388 & EN407
Color : Red
Made in Pakistan
Art No. : WGT : 207



Cow Split Leather Welding Gloves
Back Full Pcs. of Leather A Grade
Full Inner Fleece Lining
Full Yellow Leather Piping Covering to Seam
Yellow Double Palm for Extra Protection
Inside of Cuff Cotton Lining
Size : 16" = 40cm
CE Approved Comply with EN388 & EN407
Made in Pakistan
Art No. : WGT : 210



Cow Split Leather Welding Gloves
Back Full Pcs. of Leather A Grade
Full Inner Fleece Lining
Inside of Cuff Cotton Lining
Size : 16" = 40cm
Color : Brown
Standard Level : EN388 & EN407
Made in Pakistan
Art No. : WGT : 212



Cow Split Leather Welding Gloves
Back Full Pcs. of Leather A Grade
Full Inner Fleece Lining
Back of Cuff Cotton Lining
Size : 16" = 40cm
Color : Red
Standard Level : EN388 & EN407
Made in Pakistan
Art No. : WGT : 203



Cow Split Leather Welding Gloves
Back Full Pcs. of Leather A Grade
Full Inner Fleece Lining
Back of Cuff Cotton Lining
Size : 16" = 40cm
Color : Gray
Standard Level : EN388 & EN407
Made in Pakistan
Art No. : WGT : 204



Welding Fabric Gloves
Back Full Pcs.
Back of Cuff Cotton Lining
Size : 16" = 40cm
Color : Red, Yellow and Green
Standard Level : EN388 & EN407
Made in Pakistan
Art No. : WGT : 008



Leather Driving Gloves
Straight Thumb
Full Goat Leather Size : 10.5"
Back Cotton Piping
Made in Pakistan
Art No. : D 221



Argon Tig Master Welding Gloves
Palm & Back Goat Leather
Cow Slip Leather Cuff with Cotton Piping
Brown Color and Natural Color
Size : 12"
Made in Pakistan
Art No. : TM : 4000



Argon Tig Welding Gloves
Palm & Back Goat Leather
Cow Slip Leather Cuff with Cotton Piping
Natural Color
Size : 15"
Made in Pakistan
Art No. : TM : 210

WELDER'S SAFETY GARMENTS

**American
Safety®**



Leather Trousers
Cow Split Leather Size : M to 2XL
Color Natural
Elastic on Back for Adjustment
Button for Adjustment
Made in Pakistan
Art No. : 2700



Full Pcs. Leather Apron
Cow Split Leather Size : 24 x 36" & 36 x 42"
Color Natural & Brown, Cotton
Green Piping Border
Adjustment with Buckle
Made in Pakistan
Art No. : 1000



Welder Leather Jacket
Cow Split Leather
Size : XL, 2XL, Color Natural & Brown
Adjustment Button on Sleeves
Made in Pakistan
Art No. : 2500



Leather Sleeves / Cow Split Leather
Size : 23 x 11"
Color Natural & Brown
Cotton Black Piping Border
Adjustment with Buckle
Made in Pakistan
Art No. : 900



Welder Leather Jacket / Cow Split Leather
Size : XL, 2XL, Color Natural & Brown
Cotton Green Piping Border
Adjustment Button on Sleeves
Made in Pakistan
Art No. : 2400



Description : 10 Gauge Cotton Liner, Palm with PVC Dots
Liner Colors : White Coating Colors : Any Colors
Applications : Refrigerated Areas, Food Processing
General Maintenance, Parts Handling, Shipping and
Receiving, Bottling Industries, General Purpose Work,
Assembly, Packing and Packaging, General Maintenance,
Standard : EN388
Electronics. **Art No. : NH 19B**



NH 19



KEVLAR GLOVES

100% Kevlar String Knit, 10 Gauge
260 Degree Heat Protection
60gm Pair
Cut and Heat Resistant
NH 19B



Art No. : NH 15



Art No. : NH 16



Art No. : NH 17

Polka Dot Cotton Drill Gloves

Men's Cotton Drill Glove, with PVC Polka Dots 100% Cotton Elastic Wrist Red & Natural Color
Economical Light Weight : 8 OZ, Medium Weight : 10 OZ, Heavy Weight 12 OZ, Size : 10"



Orange, Gray & Natural 100% Cotton
& Poly Cotton Seamless Gloves
Two-Side PVC Dots, Size : 10.5"
Art No. : NH 18T



Gray & Bleached White
100% Cotton &
Poly Cotton Seamless
Gloves 450 GM, Size : 10"
Art No. : NH 20



Gray & Bleached White
100% Cotton &
Poly Cotton Seamless
Gloves 800 GM Size : 10.5"
Art No. : NH 22



Cotton Drill Gloves

Men's Cotton Drill Glove 100% Cotton
Elastic Wrist Red & Natural Color
weight : 650 to 900 GM/DOZ
Construction 8 to 12 OZ
Size : 10.25"
Art No. : NH 13

LATEX NITRILE & PU COATED GLOVES



Y.G.L. 8851

Description: 10 Gauge Polyester or T/C Liner, Palm Coated with 100% Natural Rubber. Crinkle
Liner Colors: Yellow, Gray, Black, Red
Coating Colors: Blue, Green, Orange, Black



Y.B.2551

Latex Gloves For General Purpose
 Many Of Your General Purpose Application Call For Dexterity as Well as Protection. The Solution Is Latex Gloves. This Category of Gloves Features A Durable, Comfortable Liner and A Protective Coating for Outstanding Dexterity and Hand Protection. It Provides Excellent Durability in the Industrial Workplace and Features A General Purpose Poly-cotton Latex Coating Processed.

Latex Coated Gloves Features

Feel the Power You Get From A Combination of Cut, Abrasion/Puncture Resistance; Superior Wet and Dry Grip and Unbelievable Comfort. Latex Coated Gloves Feature A Soft Gray, Seamless Poly-cotton Knit Liner that is Palm Dipped with A Textured, Natural Rubber Coating. The Uncoated Back Allows Air Circulate which Keeps Hands Cooler and Drier and the Fullycoated Thumb Provides Added Protection in This High-risk Area... our Gloves are Built to Last.

Applications

General Maintenance, Shipping & Receiving, Assembly, Concrete & Brick Handling, Lumber Handling, General Plant Use, Cement Finishing, Roofing Components, Packing Inspection, Precision Assembly And When Using Drilling, Steamfitting and Glass Installation (Glassing); A Great Alternative to Leather!



Y.C.2221



PU.W.12

Description: 13 Gauge Nylon or Polyester Liner Coated With Nitrile Normal & Crinkle Finish
Liner Colors: White, Gray, Red, Yellow, Black
Coating Colors: Blue, Green, Gray, Yellow, Black **N.H.990**



PU.B.12

Applications

Handling and Assembly of Electronic Components When Using Delicate Tools and Sensitive Instruments Lightweight Assembly Work Where A Clean Glove is Preferred Excellent for Pharmaceutical Packaging, Inspection, Computer Assembly, Automotive Assembly, Small Parts Handling.



Winter Gloves

Waterproof Insulated Winter Gauntlet. Gloves keep your hands dry and warm.
Art No. W943

UNIFORMS



Dots Coveralls with Reflective Tape

Model: D590

- Brand: Prime Captain
- High Quality Reflective Coverall
- 50mm Reflective Tapes on Knees, Guards, Sleeves and Shoulders
- 2 Slung Pockets with Side Access
- Zip Front with Cover Placket
- 2 Chest Pockets with Flap Buttons
- 2 Back Pockets
- Quality Elasticated Both Sides of Waist with Velcro Belt

Fabric / Material: 100% Cotton 300 Gsm

EN 340-1993

Size: S | M | L | XL | 2XL | 3XL | 4XL | 5XL

Color: Red | Gray | Light Blue | Dark Blue | Orange | Beige



PRIME CAPTAIN

Twill Cotton Coveralls with Reflective Tape

Model: D980

- Brand: Prime Captain
- High Quality Reflective Coverall
- 50mm Reflective Tapes on Knees, Guards, Sleeves and Shoulders
- 2 Slung Pockets with Side Access
- 2 Chest Pockets with Flap Buttons
- 2 Cargo Pockets with Flap
- 2 Back Pockets
- Quality Elasticated Both Sides of Waist with Velcro Belt

Fabric / Material: Cotton 300 Gsm

EN 340-1993

Size: S | M | L | XL | 2XL | 3XL | 4XL | 5XL

Color: Red | Gray | Light Blue | Dark Blue | Orange | Beige





<https://life1corporation.com/>

Life1 Ecommerce

<http://life1http://life1.ph/.ph/>

EUROPEAN COVERALL & PAIN SHEET



European Coverall

Model: EUC 388

- Brand: Prime Captain
- 2 Swing Pockets with Side Access
- 50mm Reflective Tapes on Knee Guards, Sleeves and Shoulders
- Zip Front with Cover Flaplet
- 2 Breast Flap Pockets 1 with Zip Access & 1 with Pen Pocket
- 1 Extra Pocket on Chest with Zipper
- 2 Cargo Pockets
- 2 Back Pockets 1 with Flap Velcro & 1 with Zipper
- Pen Pocket on Left Hand Sleeve
- Quality Elasticated Back

Fabric / Material:

- 240 Gsm
- EN 340-1993
- Reflector EN 741
- Size S | M | L | XL | 2XL | 3XL | 4XL | 5XL
- Available Colors: Navy Blue | Gray



European Style Pant/Short 2 Pcs

Model: EUPS 340

- Brand: Prime Captain
- 2 Piece Pant & Short
- 50mm Reflective Tapes on Knee Guards, Sleeves and Shoulders
- 2 Swing Pockets in Trousers with Side Access & Patch Mobile Pocket
- Zip front with Cover Flaplet
- 4 Chest Pockets with Zippers & 2 with Side Access
- 2 Extra Pockets on Chest with Flap Velcro
- 1 Ruler Pocket on Right Side of the Trousers
- 2 Cargo Pockets in Trousers with Flap Velcro
- 2 Back Pockets in Trousers with Flap Velcro

Fabric / Material:

- 240 Gsm
- EN 340-1993
- Reflector EN 741
- Available Size: S | M | L | XL | 2XL | 3XL | 4XL | 5XL
- Available Colors: Navy Blue | Gray



Dark Blue Gray

PRIME CAPTAIN UNIFORMS

Prime Captain

Cotton Pre-Shrink Sanforized - Mercerized
No Color Bleeding, Fast Color, Fabric Construction
195 to 200 GSM, 21x21 ~ 108x58,
Color: Light Blue, Dark Blue, Red, Orange,
Beige, White, Gray
Size: S to 5XL



Prime Captain Jacket & Trousers

Cotton Pre-Shrink Sanforized - Mercerized
No Color Bleeding, Fast Color, Fabric Construction
21x21 ~ 108x58, 195 to 200 GSM
Color: Light Blue, Dark Blue, Beige
Size: S to 4 XL



Coverall (Size in Inch)

SIZE	S	M	L	XL	2XL	3XL	4XL	5XL
CHEST	44	46	48	51	53	55	57	59
WAIST	41	43	44.5	46	50	52	54	56
SEAT	43	45	47	50	52	54	56	58
TOTAL LENGTH	61	61.4	62.4	63	64	65	66	66

Cotton Pre-Shrink

Shirt & Pant (Size in Inch)

SIZE	S	M	L	XL	2XL	3XL	4XL	5XL
CHEST	100	106	110	115	120	125	130	135
WAIST	84	88	92	96	100	104	108	112
SEAT	100	104	108	112	116	120	124	128
LENGTH	71	73	75	77	79	81	83	85
POCKET LENGTH	99	101	103	105	107	109	111	113

Cotton Pre-Shrink



Beige Green Yellow White



Red Dark Blue Gray Orange Light Blue

FLAME RETARDANT & REFLECTIVE COVERALL

Art No. :
F1023

Art No. :
F1022


Flame Retardant Coverall
100% Cotton Pile Shrink
240 Gsm and 300 Gsm
Reflective Tap Size : 50mm
Size : S | M | L | XL | 2XL | 3XL | 4XL
Colors : Orange | Navy Blue | Red
Pockets : 2 Pocket Front 2 Back 2 Side
International Standard ISO 116212
Confirms to European Standard EN 531
Made In : Pakistan



WOMEX BY DUPONT ®

Womex Flame Retardant Coverall
• 25MM Anti Flame Retardant Reflective Tape Sleeves,
Back and Shoulders.
• 2 Sling Pockets with Side Access
• Brass Zip Front with Cover Pocket
• 2 Breast Pockets one with Flap Button
• 2 Back Pockets One with Flap Button
• Pen Pocket on Left Hand Sleeve
• Quality Elasticized Back
• Color : Red, Royal Blue, Yellow
• Brand : Womex 150 Gsm
• EN 531 A B1 vC1
• Reflector EN 471
Made In : Pakistan



Orange Green Yellow Red Navy Blue Grey Orange Light Blue

FIRE SAFETY

Firman Suits From UK (Buildover)

Outer Layer of the Jacket is Made of D 102/150-n,
(Nr. 7079), - 100% Cotton (280 g/m²) Non-inflammable
Finer "Pyrovetex" (Technology Ciba-Geigy) Made By
"Prolex" S.A. The Internal Elements of the Jacket and the
Trousers (Pockets, Hems) are Made of
Non-burning cotton Pyrovetex-d 102/150-n. The
"Fire-Brigade" Marks or Other are Made By thermo
Transfer or Silk-screen Printing Technique with Velcro
Strips are Made Out in Black Against all Fluorescent
Slow-burning Fabric. The Along the Whole Perimeter
Above the Warning Bands. The "Firebrigade" Mark in
Front of the Jacket in Attached with Velcro on the Left
Breast. Below the Warning Bands. The "Firebrigade"
Marks on the Special Clothing Have the Following
Dimensions:

- Front Fabric 5 X 15 cm, Letter Height 2.5 cm, Length
of the Inscription 11 cm;
- Back Fabric 12 X 34 cm, Letter Height 7.7 cm.



Firman Boots Malaysia (Buildover)

Technical Specification for Article: B09788
Color : Black / Yellow
Size Range: Euro: 37 - 48, UK : 4 - 13
Type of Construction: Vulcanized Rubber Upper and Sole.
Compliance : European Standard, CE Approved - EN 345-2:1996.
CSA-Canadian Standards Association.
ANSI - American National Standard Air Pressure Applied for Water
Leakage Testing 50 KPa, Lining Material
Leg Lining: Woven Cotton Canvas Weight (min.)
250g/m² Thickness (min.) 0.60mm
Inside Lining : Woven Sheeting
Weight (min.) 140g/m²



Thickness (min.) 0.30mm

Rubber Components
Upper : Black in Color, 65% Natural Rubber
30% Styrene Butadiene Rubber and
5% Chloroprene Rubber.
Footing: Yellow in Colour, 65% Natural Rubber
30% Styrene Butadiene Rubber and
5% Chloroprene Rubber.



Fire Blanket

Size: 1.2 Mtr X 1.2 Mtr, 1.2 Mtr X 1.5 Mtr, 1.8 Mtr X 1.8
Mtr 30 Mtr and 50 Mtr Fabric Roll Material.
Fiber Glass - Packing : PVC Hard Box, Temp. 550°C



Firman Gloves UK (Fireman)

Stitching: All Stitching is of Heat Resistant Kevlar 30/3
Thread or Equal with a Minimum of 8 Stitches Per Inch.
Sizing: The Gloves are Available in Eight Sizes: X-Small,
Small, Medium, Large, X-Large, 2X-Large and 3X-Large

Firman Helmet From (Croatia)

- Flame Retardant High Temperature Resistant Copolyester Plastic
- Long-Term Resistance to 140°C / 30 min, 250°C / 15 min
- European Standards Conformity (EN 443/1997)
- Full Head Protection, Including Neck and Face
- Poly Carbonate Anti-Scratch and Anti-Fog Coated Visor
(EN 166)
- Removable Neck Protector Made of Genuine Leather
(Optional Aluminized Carbon-Fiber)
- Interior Shock Absorber Made of Polyurethane Foam
- Integrated Adjustment System (Ranging from 52 to 62cm)
- Interior Ventilating Channels Enable Safe and Comfortable Work
- Luminous and Reflective Tapes Visible from Both Sides
and in All Conditions
- Established and Worldwide Approved Design
- Ready to Use with a Full Face Mask

Pab Brand



Aluminum Foil Fire Resistant Suit

Spec: Large Size Packing: 1
Set / Carton, Temp: 550°C



Al 145 Aluminized Gloves

Material: Aluminized Coating Heat
Reflection Resistance, Max: 600
Degrees Glove Length: 16" C



Heat Resistant & Water Repellent Gloves

Art. No. A/ 1505 Temp : 500°C



<https://life1corporation.com/>

Life1 Ecommerce

<http://life1http://life1.ph/.ph/>

SAFETY SHOE



American Safety
High Class Safety Shoe
Cow & Buffalo Split Leather
CE Approved EN 345
Steel Toe and Plate 200 Jules
PU Out Sole, Size : 39 to 46
S3 Standard
Art No. : K 927



American Safety
Cow & Buffalo Split Leather
Low Ankle EN 345,
Steel Toe and Steel Mid Plate
PU Out Sole, Size : 39 to 46
S3 Standard
Art No. : K 925



Power Welder Boot:
Cow & Buffalo Split Leather
Steel Toe and Mid Sole
Size : 40 to 46
S3 Standard
Art No. : W 27



Worker:
Sole : Dual Density PU
Cow & Buffalo Split Leather with Steel Toe
and Steel Mid Plate (Craftsmen)
EN 345 Standard
S3 Standard
Art No. : W 64



Jogger:
Sole : Dual Density PU
Brand : Jogger
Cow & Buffalo Split Leather
EN 345, Steel Toe and Steel Mid Plate
PU Out Sole, Italian Tread
Low Ankle, Size : 39 to 46,
S3 Standard
Art No. : SA 9951 B



Jogger:
Sole : Dual Density PU
Brand : Jogger
Cow & Buffalo Split Leather
EN 345, Steel Toe and Steel Mid Plate
PU Out Sole, Italian Tread
Size : 39 to 46,
S3 Standard
Art No. : SA 995



SAFETY JOGGER
SAFETY SHOES

Safety Jogger Bestboy S3 & Safety Jogger Bestrun S3
Sole : Dual Density PU
Toecap : Steel, Midsole : Steel
Lining : Cambrella, Insole : Perforated
Size Range : 36-47, Weight (x.41) 600 gr.
Certificate No. : LEC F60330324 (CE S3), EN 345
S3 Standard
Art No. : Classic S3-S1P SRC

COFRA
ROAD TO WORK

Cofra Safety Shoes
Brand : Cofra
Upper : Water repellent leather
Lining : Tessile breathable, it absorbs
and releases moisture, abrasion resistant
Fusabetti : Full piece, anatomic, holed,
removable, antistatic, covered with tessile
Outsole : PU flex-sole
Width : 11 Mondopoint
Sizes : 38 - 48
Art No. : Volga S3 UK SRC



Cofra safety shoes

Brand : Cofra
Upper : Cow & Buffalo Split Leather
Lining : Tessile Breathable,
It absorbs and releases moisture,
Abrasion resistant
Fusabetti : Full piece, anatomic,
Holed, removable, antistatic,
Covered with tessile
Outsole : pu flex-sole
Width : 11 mondopoint
Size : 36 - 48
Art No. : Demublo S1 P SRC



LET YOUR BOOTS WORK FOR YOU

American Safety

American Safety Shoes

Brand : American Safety

- Upper : Yellow Nubuck (TW020)
 - Upper : Brown Nubuck (TW966)
 - Lining : Cambrella
 - Midsole : Rubber
 - Toe : Steel Cap
 - Construction : Goodyear Welt
 - Oil Resistance Antislip Techno Felex
- Standard : EN 20345
ART No.: TW020-1 & TW966



American Safety Shoes

Brand : American Safety

- Upper : Brown & Black Full Grain Leather
 - Lining : Cambrella
 - Midsole : Rubber
 - Toe : Steel Cap
 - Construction : Goodyear Welt
 - Oil Resistance Antislip Techno Felex
- Standard: EN 20345
ART No.: TW315 & TW103



A.Q. 55
Clear Template with
Clear Lens
Comply with ANSI Z87.1
CS EN 166F



<https://life1corporation.com/>

Life1 Ecommerce

<http://life1http://life1.ph/.ph/>

BLUE EAGLE EQUIPMENT



Gas Welding Goggle
Lift-Front Type Lenses Holder,
Used for Both of Welding and
Chipping Operations.
Art No.: GW250



Gas Welding Goggle
Used in Gas Welding, Cutting and
Brazing Operations. Scale No. S-4-1
Art No.: NP1666



EARPLUG
with Case, Keychain &
Neck String
Art No. NP032



Silicon Ear Plug
NPR 26db, Available With Or
Without Cord.
CE EN352-2 Approved.
(1 PC Polybox, 100 Pcs in Packet,
1000 Pcs in Carton)
Art No. SEP-4991



Dust Goggle [CE EN166] [Ansi Z87]
Used For Average Dust Condition, Lens 1.5mm
Art No. SG152



Earmuff
Color: Black, Blue & Red Very Comfortable
To Wear, High-Impact ABS Ear Cup,
Foam PVC Heat Cushion, Suitable
For Continuous Use Over Long Periods
Art No. EM92



EARMUFF
Light in Weight, it Can Be Worn in
3 Positions-Overhead, Behind Neck,
Or Under Chin
Art No. EM62



BLUE EAGLE WELDING EQUIPMENT



Welding Helmet
[CE] [Ansi Z87] [CSA Z94.3]
(Lenses Not Included)
Lens Size: 4-1/4" x 2"
Toughness and Moisture Proof,
Lift-Front Lens Holder are Insulated,
Polypropylene Shell. Art No. Art No.: 632



Clip-cap Welding Helmet
[Ce] [Ansi Z87]
(Cape & Lens Not Included)
Lift-Front Lens Holder,
Lens Size: 4-1/4" x 2"
Polypropylene Shell, With AGG Bracket.
Art No.: 6P92



[CE] [Ansi Z87] [CSA Z94.3]
(Grinding Face Shield)
Head Band Clear Splash Proof
Art No.: FS 9213



Brow Guard
[CE] [Ansi Z87] [CSA Z94.3]
Impact-Resistant AGG Brow Guard, Yellow,
With Ratchet Headgear HD1,
Use with "FC" Series Visor
Art No. B11E



Face Shield Visor
[CE] [Ansi Z87+] [CSA Z94.3]
Polycarbonate, Clear
8" X 15-1/2" X 1.5mm, Aluminum Banding
For High Impact, Penetration,
Heat & Splash Resistance.
Art No. FC48



AG Visor Bracket
[CE] [Ansi Z87]
Impact-Resistant AGG Use, with "FC" Series Visor,
Fit With Regular Safety Cap



SAFETY BELT & HARNESS



Style No. P-10832
 2 in 1 Suit

Outergilet:
 Fabric: 100% 1,300 Polyester with PVC Coating
 Color: Navy Blue
 Attached Hand Contained in the Collar with
 Drawstring and Stoppers.
 Elastic Front with Zipper and Cummer Suits Closure
 1 Mobile Phone Pocket on Left Chest.
 1 Pocket with Flap on Right Chest.
 2 Pockets with Flap in Front.
 Waist Adjustable with Drawstring and Stoppers

Inner Jacket:
 Fabric: 1,300 Polyester Taffeta
 Lining: 100% Cotton Cheviots
 Padding: 100% Polyester Insulignite
 Attached to the Outergilet with Cummer Suits
 Front with Cummer Suits Closure
 Collaring in the Collar
 Double-Fold Sleeves with Zippers
 2 Pockets in Front.
 1 Inner Pocket on Left Chest.
 Adjustable Strap on Both Sleeve-Index
 (By Left)



PVC / Polypropylene / PET, Agriplast
Size: 120 x 90 x 10
with 2 Cuttable Rope for Handles
1000 Ltrs. Length
Color: Yellow, Navy Blue & Green
Art No. PC 2125



BREATH PROTECTION

GAS MASK



Tyvek By DuPont® Disposable Coverall
DuPont Tyvek Coveralls are Made with DuPont's Unique Non Woven Technology for Comfortable, Inherent Barrier Protection Against Dry Particulate Hazards and Light Liquid Splash Set Sleeve Pattern for Greater Arm Movement. Even After Abrasion, Stip Sub Micro Particles Better Than Reusable Garment. Serged Seams, Zipper are Non Sparking, White. This Coverall Features A Hood to Cover Head and Hair and Elasticated Wrist to Protect Arms Sizes : Small To 4 XL.



Surgical Face Mask
3 Ply Paper with Welded Elastic Band Without Glass Fibres. Nose Bar Adaptable. Good Fitting. 50 Pcs. in Box - 40 Boxes in, Carton (2000 pcs)
Art No. 3922



NY 98990: Nuisance Dust Mask

- Not NIOSH, CE and AGN25 Approved.
- Polyester Needle-punched Fiber Material (Milligrid) And Shape E-comfort Made And Larger Size.
- Disposable, Lightweight, Comfortable, Odorless, Fogproof Free, Low Breathing Resistance and Non-irritating to the Skin.
- Soft Mesh Nosepiece Adjusts Easily Over Bridge of Nose.
- Protection Against Non-toxic Particles and Nuisance Dusts, Such as Workshop, Cleaning, Poling, Sweeping, Gardening, Farm Work, Etc.

Made in Taiwan



NY 8022: FFP2 Valved Dust / Mist Respirator

- Conforms To European EN149:2001 FFP2 Standards With CE 0086 Marking, ISO CE Certificate Number 70730.
- Foldable Design, Seal Edge Avoids Open Layers and Eliminates The Possibility Of Irritation.
- Low Breathing Resistance For Increased Comfort: Soft Edges Fit Different Facial Shapes With Minimum Leakage.
- Heavy-duty Head Straps, Adjustable Nose Clip and Soft Foam Nosepiece For Comfortable Custom Fit.
- Exhalation Valve Reduces Hot Air Buildup and Easy Breath in Hot/Humid Environments.

Made in Taiwan



NY 8032: FFP2 Valved Dust / Mist Respirator

- Conforms To European EN149:2001 FFP2 Standards With CE 0086 Marking.
- 9th Unique Design Provides Very Low Breathing Resistance.
- Polyurethane P.U. Outer Layer Provides Smooth Lining and Avoids Loose Fibers. Fringe Seal Avoids Open Layer Around The Edges.
- Contoured Face Seal, Fully Adjustable Head Straps and Adjustable Nose Clip Offer A Comfortable Secure Fit.
- Exhalation Valve Reduces Hot Air Buildup and Easy Breath in Hot/Humid Environments.

Made in Taiwan



PROMAX MASK™

This mask can be worn continuously for more number of hours as compared to normal mask



PS410 SL - FFP1 NR

Grey Color Fabric Flat & Fold C Type Filtering Half Mask Against Solid & Liquid Particulate Aerosol and Penetration of Mist Test without Valve & Electrostatically Charged Electrostatic Filter Media more than 80% Filtration. Tested at 0.3 micron.
CE Mark EN149: 2001 + A1: 2000



PS410 SL - FFP1 NR

Blue Color SMS Fabric Flat & Fold C Type Filtering Half Mask Against Solid & Liquid Particulate Aerosol and Penetration of Mist Test without Valve & Electrostatically Charged Electrostatic Filter Media more than 80% Filtration. Tested at 0.3 micron.
CE Mark EN149: 2001 + A1: 2000



PS410 SLA - FFP1 NR

Yellow Color SMS Fabric Flat & Fold C Type Filtering Half Mask Against Solid & Liquid Particulate Aerosol and Penetration of Mist Test without Valve & Electrostatically Charged Electrostatic Filter Media more than 80% Filtration. Tested at 0.3 micron.
CE Mark EN149: 2001 + A1: 2000



PS400 G - FFP1

Yellow Color SMS Fabric Flat & Fold C Type Filtering Half Mask Against Solid Particles with In-Built Nose Clip & Electrostatically Charged Electrostatic Filter Media more than 80% Filtration. Tested at 0.3 micron.
CE Mark EN149: 2001 + A1: 2000

Disposable Coverall

Size : M To 4XL
Brand : Prime Captain
Excellent Protection Against Dust, Liquid Splashes & Organic Chemicals Durable SMS Breathable Fabric for Comfort & Keeps Out 99% of Particles Larger Than 1µm Micron Repels Splash From Aqueous Liquids Triples Stitched Seams to Protect Against Tearing Silicon Free for Critical Areas Offers Protection Dust and Fibres Including Antibacterial Protects Work Clothes From Dirt & Grime Improved Design For Better Fit & Movement, Elastic Wrist & Ankles Generous Sizing With Extended Zip for Increased Comfort Suitable for Manufacturing Maintenance, Construction & Building Trades Contact Cleaning & Utilities - Packed in Cartons of 50



NY 8022: FFP2 Dust / Mist Respirator

- Conforms To European EN 149:2001 FFP2 Standards With CE 0086 Marking, ISO CE Certificate Number 70730.
- Foldable Design, Seal Edge Avoids Open Layers and Eliminates The Possibility Of Irritation.
- Low Breathing Resistance For Increased Comfort: Soft Edges Fit Different Facial Shapes With Minimum Leakage.
- Polyurethane (P.U.) Outer Layer Provides Smooth Lining and Comfortable Feel.
- Heavy-duty Head Straps, Adjustable Nose Clip and Soft Foam Nosepiece For Comfortable Custom Fit.

Made in Taiwan

NY 8022: FFP2 Valved Dust / Mist Respirator

- Conforms To European EN 149:2001 FFP2 Standards With CE 0086 Marking, ISO CE Certificate Number 70730.
- With Collapsible Reusable Double Shell Construction Made To Withstand Hot and Humid Conditions.
- Low Breathing Resistance For Increased Comfort: Soft Edges Fit Different Facial Shapes With Minimum Leakage.
- Latex-free Head Straps, Adjustable Nose Clip and Soft Foam Nosepiece For Comfortable Custom Fit.
- Exhalation Valve Reduces Hot Air Buildup and Easy Breath in Hot/Humid Environments.

Made in Taiwan



Nitrile Gloves

Brand : Safety/Utility
100% Latex Free, Power Free, Antibiotic Trous, Non Sterile, Single Use Only. Packaging : 100 Pcs. Size Available: Small, Medium, Large & X-Large. Standard Level : EN455, Made in China.
Art No. : LS 248



Latex Examination Gloves

Brand : American Safety
Power Free, Antibiotic Trous, Non Sterile, Single Use Only. Packaging : 100 Pcs. Size Available: X-Small, Small, Medium, Large & X-Large. Standard Level : EN455, Made in Malaysia
Art No. : LE 248



GM-57AA Full Mask (Cartridge)

Materials: High Quality Silica Gel

Features: The High-Quality Silica Gel is Anti-aging, Anti-allergic, and Easy to Clean; the Design is According to the Human Body, Combined with Three-Dimensional Characteristics, to Suit Different Faces. With Extra-Wide Window Structure, the Window is Made from PC Material, Anti Fog Inside, Anti-friction Outside. The Headband is Fixed by Five-Point, Making Adjustment Simple. It can match with Various Pipes, Cartridges and Air Ventilators.

SAFETY®
SAFETY

EN136: 1998



EN140: 1999

GM-5503D Gas Mask (Cartridge)

Materials: Rubber

Features: The Main Part of the Mask is Moulded by Non-toxic Rubber; the Poison Filter is Standard, Can Connect to Other Pipes or Small Cartridges. The Poison Filter is Made of Transparent Material, So you can see the Absorption of the Activating Carbon.



EN140: 1999

GM-5503D Gas Mask (Cartridge)

Materials: High Quality Silica Gel

Features: The High-Quality Silica Gel is Anti-aging, Anti-allergic, and Easy to Clean; it Wears Conveniently; Spiral Interface Make it Easy to Change Cartridge.



EN140: 1999

GM-5503E Gas Mask (Double Cartridge)

Materials: High Quality Silica Gel

Features: The High-Quality Silica Gel Anti-aging, Anti-allergic, Easy to Clean; it Wears More Fixed Because of the Four-points. The Double Cartridge Configuration Extends its Anti-virus Preparation Time and Reduces the Inspiration Resistance.



- Single Cartridge 303 & 306**
Double Cartridge 304 & 305
Chemical Dust & Gas Resistance Mask
Technique: Filter of Dust Mask Against Organic Gas/Acid Gas Test Project Standard
1. Mask Appearance Mask Looks Smooth, No Bubbles, No Burr, no Effect on Gas-tight Defect
 2. Components with Strong > 40N
 3. Mask of Air Flow Resistance < 20Pa
 4. Airtight of Valve > 20s (Humidity: 17-30°C, Relative Humidity > 75%)
 5. Aging of Valve After Adding from 8 Hours Under 100+20°C is not Sticky, Non-Deformed; Air Flow Resistance > 20s
 6. Mask Leakage Coefficient < 5%
 7. Field of View Binocular vision > 55% Below > 35%

Item Cartridge Cartridge

9502-3003	1	Dust
9502-3004	1	Cart
9502-3100	2	Dustbridge
9502-3104	2	Cartridge
FTN 3000		Dust Cartridge
FTN 3004		Chemical Cartridge

Please specify color of face piece. Black (BK) Green (GR) Blue (BL). Please also specify Packaging

ROAD SAFETY EQUIPMENTS

SAFETY®
SAFETY



Fabric : 100% Digital Net (Mesh)
Fluorescent Yellow, Orange
Size : Free
Art No. : KF-089



Reflective Vest, Green
Net Type, Nylon Fabric with
Both Side 2" Wide Reflective Tapes,
with zip and Pocket
Art No. : KF-084



CE EN471 Class II
Fabric : 100% Polyester Tricot
(Drier, Oxford or Mesh)
Fluorescent Yellow, Orange
Type : Conform to Requirements of EN471
Size : Free
Art No. : KF-085



Reflective Vest Green
Net Type, Nylon Fabric with
Both Side 2" Wide Reflective Tapes,
Transparent Pocket Velcro
Art No. : KF-093



4 Pos. High Brightness LEDs,
High Visibility (>500m)
Working Mode : Flashing-Bright
Flash Frequency : 60/min
Voltage : 6V (4R25) with photoresistance,
Automatically flashing night and close daytime,
Colors : Amber, Red, Yellow and so on
Packing : 12 position
Carton size : 48x38x35cm



4 Pos. High Brightness LEDs,
High Visibility (>500m)
Working Mode : Flashing-Bright
Flash Frequency : 60/min
Voltage : 6V (4R25) with photoresistance,
Automatically flashing night and close daytime,
Colors : Amber, Red, Yellow and so on
with Metal Bracket for Fixing
Packing : 12 Position
Carton size : 48x38x35cm



Heavy Duty Battery For
Flashing Lamps
Art No. : 9001040



Baton Light
Traffic Control Baton Light
with 3 Systems
Art No. : KF-012



Road Work Light (With Lock)
Lampshade : PS
Battal Carcase : HDPE
Light : House 2 pcs. LEDs
Flash Frequency : 60 Flash/Min.
For Two 6V 4R25 Batteries
Battery Life : 600-950 / 600-700
Continuous Minutes
Visible Distance 250-300 Meter




PVC Chain

Diam 5 cm



Traffic Cone (PE)
Height : 100 cm
Weight : 5 KG
Top : 5 cm
Base : 50 x 50 x 4 cm




PVC Column
Height : 90 cm
Pole Diam 4 cm
Base Diameter : 28.5 cm
The Base Can Be Injected Water

Safety Fencing
Safety Fencing is Used to Cordon Off Danger Areas at Construction,
Make Work and Excavation Sites. Also Used From Crowd Control
and to Designer Areas and Routes at Ski Resorts, Sports Fields Etc.
Heavy Duty Extruded Orange Poly Thine Designed
to With stand the Elements. Temperature Range -40 °F to +200 °F
Weight Roll Size (m)
9/12 L W
100/120/160 50 1.0/1.2
200/240/260 50 1.5/1.8 Color : Orange / Yellow

REFLECTIVE TAP

SAFETY®
SAFETY



C8005 High Reflective Fabric (POL)
Color : Grey & White
Width Scope : 1-130 cm
Backing : 100% Polyester
Coefficient Of Retro-Reflection R=20
Packing : 100m/100mroll, Cut For Free
Art No. : HT182613



C8005 High Reflective Fabric (POL)
Color : White
Width Scope : 1-130 cm
Backing : 100% Polyester
Coefficient Of Retro-Reflection R=400
Packing : 50m/100
Art No. : HT182614



CY8300 PVC Ribbon Tape
Color : White, Yellow, Red, Green,
Blue, Orange
Reflectivity : 100 cd/sq.m
Width : 2.0/2.5/5.0 CM
Length : 50 m/roll, Material : PVC
Art No. : HT182612



C8018 Reflective Webbing
• Color : Assorted
• Backing : Fluorescent Cloth, Polyester
• Width : 1.0/1.5/2.0/...5cm
• 50m/roll
Art No. : FT8095



C8018-2 Reflective Webbing
• Color : Green & Orange
• Backing : Oxford
• Width : 1.0/1.5/2.0/...5cm
• 50m/roll
Art No. : FT8096



Fabric 2 Shade Reflective Tape
(Day & Night)
Color : Fluorescent Silver, Yellow
Size : Width 5 CM
Length 50 Mtr. Roll
Brand : 3M & American Safety
Art No. 8878

ROAD SIGNS

PVC Vehicle Tape



15 x 91.5 cm, 1000 Pouch
10 x 91.5 cm, 1000 Pouch
10 x 91.5 cm, 1000 Pouch
5 x 91.5 cm, 1000 Pouch

Advertisement Grade
Reflective Sheeting
CY3100 Series PET Type
Color : White, Yellow, Red,
Green, Blue, Orange, Black
Size : 1.24 x 45.7 m/Roll
Art No. : CY3100



CY3100 Sticker
Color : Total White, Red,
Yellow Per Roll
White + Red Square Type
White + Red Diagonal Type
Yellow + Black Diagonal Type
White + Blue Diagonal Type
Size : 5CM x 25m/Roll or 50m/Roll
2.5 x 2.5 m/Roll or 50 m/Roll

CY8021
Material : PMMA, ABS
Unit Weight : 600g
Product Size : 43 x 43 x 43mm
QTY : 10PCS/CTN
N.W./G.W. : 9/10 KGs
Qty/20 FCL : 29 000 Pcs



Red & White
Square
Yellow & Black
Diagonal
CY1400
Red & White
Diagonal

Series	Type Of Adhesive	Coefficient Of Retro-Reflection (Minimum Value) Observation Angle 2°, Entrance Angle 4°							
		Color Fluorescent	White	Yellow	Orange	Green	Blue	Red	Brown
CY1000	PSA	Standard Value (CFL)	90	21	20	6	3.5	8	3.0
		Test Value (CFL)	90	21	20	6	3	10	4

Traffic Sign Sticker



FIRST AID BOX

First Aid Box (For 100 People)

Box Size: 445 X 320 X 150 mm
Made Of Qualified ABS, Heavy & Super Strong,
Suitable For Industry, With Carry Handle, Wall
Bracket & Inside Partition With Covers.

Contents:
Meet DIN14142 In ABS Box Code
Art No. : GKB 300



First Aid Box Content

- Din 13168-D
- Surgical Glove
- Round Banded
- Bandage
- Instant Cold Pack
- Alcohol Pre Pad
- Sterile Gauze Pad Small
- Sterile Gauze Pad Medium
- Sterile Gauze Pad Large
- Scissor
- Safety Pin
- Small Band Aid
- Plastic With Round Band Aid

- 4 PKT
- 2 PKT
- 2 ROLL
- 1 PKT
- 2 PKT
- 25 PC
- 13 PKT
- 12 PKT
- 12 PKT
- 1 PAIR
- 5 PC
- 65 PC
- 1 PC



First Aid Box (For 80 People)

Box Size: 390 X 275 X 135 mm
Made Of Qualified ABS, Heavy & Super Strong,
Suitable For Industry, With Carry Handle, Wall
Bracket & Inside Partition With Covers.

Contents:
Meet DIN131357 In ABS Box Code
Art No. : GKB 302



First Aid Box Content

- Din 13168-D
- Surgical Glove
- Round Banded
- Bandage
- Instant Cold Pack
- Alcohol Pre Pad
- Sterile Gauze Pad Small
- Sterile Gauze Pad Medium
- Sterile Gauze Pad Large
- Scissor
- Safety Pin
- Small Band Aid
- Plastic With Round Band Aid

- 2 PKT
- 2 PKT
- 1 ROLL
- 2 PKT
- 2 PKT
- 10 PC
- 6 PKT
- 6 PKT
- 6 PKT
- 1 PAIR
- 5 PC
- 26 PC
- 1 PC

First Aid Box Content

- Din 13168-D
- Surgical Glove
- Round Banded
- Bandage
- Instant Cold Pack
- Alcohol Pre Pad
- Sterile Gauze Pad Small
- Sterile Gauze Pad Medium
- Sterile Gauze Pad Large
- Scissor
- Safety Pin
- Small Band Aid
- Plastic With Round Band Aid

- 1 PKT
- 1 PKT
- 1 ROLL
- 1 PKT
- 1 PKT
- 5 PC
- 3 PKT
- 3 PKT
- 3 PKT
- 1 PAIR
- 4 PC
- 15 PC
- 1 PC



Art No. : GKB 301



First Aid Box (For 5 People)

Made Of Qualified Fast Care,
Heavy & Super Strong,
Suitable For Industry, Bracket
Art No. : GKB 103



First Aid Box (For 12 People)
Made Of Qualified Fast Care,
Heavy & Super Strong,
Suitable For Industry, Bracket
Art No. : GKB 102

BURN FIRST AID KITS



First Aid Box Content

- Din 13168-D
- Bandage
- Alcohol Pre Pad
- Sterile Gauze Pad Small
- Sterile Gauze Pad Medium
- Sterile Gauze Pad Large
- Scissor
- Safety Pin
- Small Band Aid
- Cottonball

- 1 PKT
- 1 PKT
- 10 PCS
- 4 PCS
- 2 PCS
- 1 PC
- 1 PAIR
- 4 PCS
- 50 PCS
- 10 PCS

Art No. : GKB 197



Auto Care For 5 Persons

Size: 25.5 x 17 x 8.5 cm
Made of Strong ABS Material
Wall Bracket
Designed for 1-12 Persons
Model: FW25P
Size: 20.5x21.5x12 CM
Made Of Strong ABS Material
Wall Bracket
Designed for 1-25 Persons
Model : FW50P
Size : 31.5x23x12.8 cm
Made of Strong ABS Material
Wall Bracket
Designed for 1-50 Persons
Art No. : FW12P



Kit Contents Small
50 Persons
Burn Gel Sachet
3.5g : 25 ox (5 Pcs/Box)
Burn Dressing
20x20cm: 2 Pcs
Burn Dressing
5x10cm: 3 Pcs
Burn Gel
120ml: 1 Pcs
Burn Dressing
10x10cm: 3 Pcs
Bandage
5cm: 2 Pcs
10cm: 2 Pcs
Art No. : MK204

Kit Contents For Large
25 Persons
Burn Gel Sachet
3.5g: 1box (25 Pcs/Box)
Burn Dressing
30x30cm: 1Pc
Burn Dressing
5x10cm: 3 Pcs
Burn Gel
120ml: 2 Pcs
Burn Dressing
20x20cm: 2 Pcs
Bandage
5cm: 3 Pcs
10cm: 2 Pcs





<https://life1corporation.com/>

Life1 Ecommerce

<http://life1http://life1.ph/.ph/>

COOLBIT COOLING PRODUCT

The Ultimate Headwear For All Seasons!



Neck Cooler Flap



Neck Cooler Plus 2WAY Cooling Sun-Protection Flap



CBRC-G4 Price: 2.20

- Size: One Size Fits All
- Material: CoolMax® fabric, moisture absorbent pad to forehead included
- Color: LGY, BLU, BLK

Basic

Unique Mesh Structure
Great breathability

Woven-in Superabsorbent Fiber
High-performance instant absorbent pad. The pad collects perspiration, so it is always there. Great result! CoolMax pad keeps your view clear!

Spandex Feature
One size fits all with stretchable material

HCN-TX Price: 2.800 per

- Size: One Size Fits All
- Material: CoolMax® fabric, moisture absorbent pad to forehead included
- Color: LGY, BLU, BLK

Basic

Unique Mesh Structure
Great breathability

Woven-in Superabsorbent Fiber
High-performance instant absorbent pad. The pad collects perspiration, so it is always there. Great result! CoolMax pad keeps your view clear!

Spandex Feature
One size fits all with stretchable material

coolbit Vest Warm/Cool

Solid coolbit® Realized It! Inner/Outer, Warm and Cool Vest!

CoolMax® fabric with quick-dry and moisture-wicking features keeps you dry and comfortable!

Reflective Tape
Safety at Nighttime work

Velcro Tape
Easy to Adjust Size

Yellow Trim: Antistatic Yarn

Pockets for Water retention pack

6CL-WA2 Price: 4,500 yam

- Material: CoolMax® fabric, moisture absorbent pad to forehead included
- Color: LGY, BLU, BLK

Basic

Unique Mesh Structure
Great breathability

Woven-in Superabsorbent Fiber
High-performance instant absorbent pad. The pad collects perspiration, so it is always there. Great result! CoolMax pad keeps your view clear!

Spandex Feature
One size fits all with stretchable material

4 Water retention Packs Included

Put a cold pack into a wet water retention pack to make cooling effect last longer!
Use Heat Packs in Winter for Warm Gear!

Great in winter, too! Put a heat pack into the pocket to make a warm gear!

COTTON RAGS & COTTON WASTE

coolbit Vest Warm/Cool

coolbit® Vest is equipped with 4 water retention packs which has superabsorbent fiber embedded in. It provides cooling effect by evaporation heat. When coolness wears off, soak the water retention packs in water again to regain the coolness. Cooling effect further increases if you put the attached cold packs into the pockets.



Round Clip Mop
Weight : 140 Gm To 220 Gm
Color : Bleach & Natural Gery
Clip : Plastic & Metal
Separate Bamboo & Plastic Stick
Made In Pakistan
Art No. M 992



Spring Clip Mop
Weight : 300 Gm To 400 Gm
Color : Bleach & Natural Gery
Clip : Metal
Separate Bamboo & Plastic Stick
Made In Pakistan
Art No. M 995



Cotton Rags & Cotton Waste
For Cleaning (Size: 30 cm x 40 cm) 12" To 16" & 18" To 24"
White & Color Hosiery Rags
White & Color Used Hosiery Cloths Rags
White & Color Used Cotton Cloths Rags



Sterilized Cotton Waste
For Oil Absorbing For Polishing & Cleaning
Packing Standard: 12 Kg - 25 Kg - 50 Kg
Export To Europe & Middle East Ship Chandlers